

**KIWICARE®**

# Technical Sheet

## 1–2–3 Cockroach Control

How to Control Cockroaches in and Around Buildings



# Kiwicare 1-2-3 Cockroach Control Programme



**1. BAIT:** Using Kiwicare **NO Cockroaches Nest Killer Gel Bait** place small drops 30 cm apart where Cockroaches have been seen.

**2. SPRAY & FUMIGATE:** Deny Cockroaches hiding places. Spray cracks and crevices where Cockroaches hide with Kiwicare **NO Cockroaches Nest Killer Spray**. Fumigate with Kiwicare **NO Cockroaches Fumigator** to flush Cockroaches out.




**3. TRAP:** Trap and monitor for Cockroaches using Kiwicare **NO Cockroach Traps**.

## Controls

Cockroaches including:

- American Cockroaches
- German Cockroaches
- Gisborne Cockroaches
- Black Cockroaches
- Other pest Cockroaches


## Directions

<p>1. <b>Bait</b> – Using Kiwicare <a href="#">NO Cockroaches Nest Killer Gel Bait</a> place small drops 30 cm apart where Cockroaches have been seen E.g. under fridges/freezers, ovens, under kitchen cupboards, etc. Bait can be placed on clean jam jar lids or masking tape for easy removal. Check bait daily and replenish as necessary. Several small drops of bait are better than one large one; allowing more Cockroaches can feed on the bait.</p>	
<p>2. <b>A) Spray</b> – Spray cracks and crevices where Cockroaches hide with Kiwicare <a href="#">NO Cockroaches Nest Killer Spray</a>. E.g. cupboards, drawers, skirting, scotia, lino cracks, light fitting surrounds, behind fridges/freezers, cookers, ducting, and other warm, dark, moist areas. <i>Avoid spraying onto fridge/freezer motors or electrical contacts.</i></p> <p>The spray will remain effective for several months. It will kill adults and nymphs and the Insect Growth Regulator (IGR) will break the life cycle by preventing development to the adult stage.</p> <p><b>B) Fumigate</b> - Then fumigate with Kiwicare <a href="#">NO Cockroaches Fumigator</a> to treat places that cannot be reached with spray and to flush Cockroaches out onto sprayed surfaces.</p>	
<p>3. <b>Trap</b> – Trap and monitor Cockroaches using Kiwicare <a href="#">NO Cockroaches Traps</a>. Place the traps in dark places; around or under fridges/freezers, under kitchen cupboards, in larders, etc. Check the traps regularly and replace when necessary or after 1-2 months. Continue monitoring for the presence of Cockroaches at least 3 months after catching the last cockroach.</p>	

## For Best Results

- Deny Cockroaches access to other food; wipe up spills and keep food in sealed containers.
- For Cockroaches in roof spaces or other voids use [NO Cockroaches Fumigator](#) in the voids.
- See the [short video](#) on [kiwicare.co.nz](http://kiwicare.co.nz) for more information on Cockroach control.

## Typical Cockroach Control Program



**Last Updated:** March 2018

# Kiwicare.co.nz

For information, advice and our interactive  
problem solver

Kiwicare Corporation Limited  
225 Maces Road, Bromley, Christchurch  
Phone (03) 389-0778